



PURCHASE ORDER

DELIVERY DUE DATE: 04-28-2020

Procurement Unit
Tel. No. (045) 606-8142 / 606-8151

Supplier: **PLATFORM STUDIOS PH INC.**
Address: Unit J011 Rosa Condominium, 44 Matantiman St., Teacher's Village, Quezon City
TIN No. 029178431000
Tel. No. 0917 866 3215

PR No.: 2019-10-399
PO No.: 2020-077
Date: 2/4/2020
Mode of Procurement: Public Bidding

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein.

Place of Delivery: **TARLAC STATE UNIVERSITY**
Date of Delivery: _____ Delivery Term: _____ No. calendar days
Payment Term: _____ by: _____

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
1	PCS	AUTOMATIC VOLTAGE REGULATOR , Stavol SVC-3000VA, Maximum Output Voltage 3,000 VA Range of Input Voltage 140V - 250V Input/ Output Voltage 110V and 220 V Accuracy of Voltage 220V +/- 3% and 110V +/- 6% Over - Voltage Protection Value 246V +/- 4% Under - Voltage Protection Value 184V +/- 4% Warranty atleast 1 year warranty	2	8,318.00	16,636.00
2	PCS	MICRO SDXC UHS-I CARD , Toshiba THN M203K0640A2, With adapter, 64Gb, Read Speed up to 100MB/s Form Factor micro SDXC Video Speed C10, U1 Capacity 64 Gb	4	529.00	2,116.00
3	PCS	HDD , Western Digital WD 60PURZ, 6TB, For CCTV, Interface SATA 6.0 Gb/s Capacity 6TB Cache 256 MB Form Factor 3.5" Features Specifically for Video Surveillance use. Warranty atleast 1 year warranty	1	11,092.00	11,092.00
4	PCS	MOUSE , Logitech M331 Silent Plus, Bluetooth, wireless, Connection Type 2.4 GHz wireless connection Battery 1 x AA DPI (Min/Max) 1000+ Sensor technology 2D, mechanical Sensor resolution 1000 dpi Number of buttons 3 Dimensions (+/- 10%) H x W x D 105.4 mm x 67.9 mm x 38.4 mm Warranty atleast 1 year warranty	25	892.00	22,300.00
5	PCS	CABLE , AV Cable Type HDMI cable Interface Supported - HDMI / Left Connector Type - 19 pin HDMI Type A / Left Connector Gender - male / Right Connector Type - 19 pin mini HDMI Type C / Right Connector Gender - male / Canon HTC 100, for Canon EOS 80D	1	140.00	140.00
6	PCS	CABLE , HDMI Cable Length - 5 Meters Input / Output - HDMI M to HDMI M	7	595.00	4,165.00
7	PCS	HDMI TO VGA ADAPTER , Ugreen HDMI to VGA, Digital to Analog Video Audio Converter Cable HDMI VGA Connector (with built in active IC chipset convert digital hdmi signal to analog VGA that protects your display away from ghosting and distortion	10	475.00	4,750.00
8	PCS	CABLE , SVGA PVC Monitor Cable, 30 meters, SVGA monitor cables consisting of a combination of coaxial and twisted pair premium grade shielded video cable with a black PVC sleeve. Typical applications for these SVGA monitor cables include presentation devices, video splitters and KVM	3	1,902.00	5,706.00
9	PCS	CABLE , Satechi Type-C Multi-port Adapter 4K with ethernet V2, Connector Type Type-C, Thunderbolt 3 Compatible Dimensions (+/- 10%) 4.13" x 6.3" x 2" Weight (+/- 10%) 2.52 Ounces Speed Gigabit Ethernet supports 10/100/1000Mbps Compatible Devices 2016/2017/2018 MacBook Pro, 2018 MacBook Air, 2018 iPad Pro, 2015/2016/2017 MacBook, Microsoft Surface Go, ASUS Transformer 3 Pro, Dell XPS 12 9365 and newer, HP Elite X2, Spectre x360 13, 15, Pro Convertible, Huawei Matebook, Lenovo IdeaPad 720s, ThinkPad T470, T570, X1 Yoga, 720, 920, Microsoft Surface Book 2, Razer Blade Stealth, Samsung Galaxy Tab Pro S and more USB-C devices with Power Delivery protocol Features 4K HDMI, Ethernet, USB-C Pass-Through Charging, SD/Micro Card Reader and 3 USB 3.0 ports Built Aluminum Design	1	5,668.00	5,668.00
10	PCS	CARD READER , Transcend RDF8, Interface USB 3.0 Supported Cards SDHC UHS-I, SDXC UHS-I, micro SDHC UHS-I, micro SDXC UHS-I, UDMA7 CF and MSXC cards Warranty 1 year warranty	2	892.00	1,784.00
Sub-Total					75,462.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one tenth (1/10) of one percent for every day of delay shall be imposed.

Confirmed:
CHRISTINE RHOSE D. CONSUL / February 27, 2020
PLATFORM STUDIOS PH INC.
(Signature over printed name & date)

COMMISSION ON AUDIT: TSU
RECEIVED
By:
Date: **27 FEB 2020**
Time: _____

DR. GLENARD R. GRIAGA
VP Admin. & Finance
Authorized Officer

Bank Account Name: **PLATFORM STUDIOS PH INC.**
Bank Account Number: **200037338043**
Bank Name: **EastWest Bank**
Bank Address: **220B Wilson, San Juan City**

Amount Available:
ELE. **TEOFILO**
Off. Budget Officer

ALOPN No. _____
Amount _____



PURCHASE ORDER

DELIVERY DUE DATE: 04-28-2020

Supplier: **PLATFORM STUDIOS PH INC.**
 Address: Unit 301 1, Risa Condominium, 44 Matantingan St., Teacher's Village, Quezon City
 TIN No.: 029 128 441 080
 Tel. No.: 821 866 1212

PR No.: 2019-10-399
 PO No.: 2020-077
 Date: 22/2/2020
 Mode of Procurement: Public Bidding

Comments: Please forward this office the following articles subject to the terms and conditions contained herein.

Place of Delivery: **TARLAC STATE UNIVERSITY**
 Name of Delivery: **Technology Center**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
<i>Balance Forwarded</i>					75,462.00
1	PCS	EXTERNAL HARD DISK DRIVE , Seagate Backup plus slim 1TB PORTABLE EXTERNAL HARD DISK Drive type 2.5 inch external USB hard drive Connection Options: USB 3.0/USB 2.0 compatible Dimensions: 4.5x3x0.5 inches (114x75x13mm) Weight: 5.6 ounces (159g) Warranty: atleast 1 year warranty.	22	3,268.00	71,996.00
2	PCS	FLASH DRIVE , Sandisk SD CZ50 016G B35 16G USB cruiser blade 8gh	4	214.00	856.00
3	PCS	GIGABIT SWITCH , D-Link DGS-1016D Warranty 1 year warranty.	2	3,624.00	7,248.00
4	PCS	GIGABIT SWITCH , D-Link DGS-1024D Warranty 1 year warranty.	7	5,085.00	35,595.00
5	PCS	GIGABIT SWITCH , TP-Link TL-SG1008MP Warranty atleast 1 year warranty.	15	6,114.00	91,710.00
6	PCS	GIGABIT SWITCH , D-Link DGS-1008P Warranty 1 year warranty.	10	4,337.00	43,370.00
7	PCS	HDMI TO VGA CONVERTER/ADAPTER , Length 1.2 Meters Input / Output HDMI to VGA	15	654.00	9,810.00
8	PCS	MICROPHONE , Saramonic SmartMic+ for smartphone. With TRRS jack. Microphone Type: Directional Condenser Polar Pattern Cardioid Output 1 x 1/8" (3.5 mm) headphone jack Connectivity 1 x 1/8" (3.5 mm) male TRRS connector Frequency Response: 75Hz to 20kHz Output Impedance: 600 Ohm Signal to Noise Ratio: 75 dB SPL Dimensions (+/- 10%): 2.8 x 1 x 1.9" (71.6 x 25.5 x 48.6 mm) Warranty atleast 1 year warranty.	3	1,716.00	5,148.00
9	PCS	MULTIFUNCTION INKJET PRINTER , Monochrome Epson M200 Warranty 1 year warranty.	11	21,250.00	233,750.00
10	PCS	MULTIMETER , Uni-T UT61E. Modern Digital (UT61E) Digital multimeter for measuring AC/DC voltage, AC/DC current, resistance, capacitance, frequency, as well as diode and continuity tests.	3	3,877.00	11,631.00
11	PCS	MULTITESTER , Sanwa SP21. Analog Drop shockproof auto band meter (with continuity check buzzer) a portable multimeter designed for the measurement of low voltage circuit small communications equipment, home electric appliances, voltage of lump line, and measurement of various types of batteries.	3	5,738.00	17,214.00
12	PCS	UPS , APC BX1100LI MS. Output Power Capacity: 550W / 1.1kVA Nominal Output Voltage: 230 V Nominal Input Voltage: 230V 230 V Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte leakproof Replacement Battery: RBC17. Expected Battery Life (years): 2 to 4. Warranty 2 years warranty.	6	7,248.00	43,488.00
13	PCS	PRESENTER , Logitech R500. For Mac/Windows. Connection Type: Bluetooth low energy technology and 2.4GHz wireless connection Wireless range: 65 ft (20 m) Indicator lights (LED) * Battery and Connectivity LED * Battery Life: 12 months + 1 extra week without laser pointer Laser Class 2 laser Max Output * less than 1mW * Wavelength * 640 - 660nm (red light) * Dimensions (+/- 10%) * Presentation remote: Height x Width x Depth: 4.8 in (123.6 mm) x 1.4 in (36.6 mm) x 0.9 in (24.7 mm) * Receiver: Height x Width x Depth: 0.2 in (6.6 mm) x 0.7 in (17.5 mm) x 0.98 in (25.0 mm) Warranty atleast 1 year warranty.	6	2,034.00	12,204.00
14	PCS	RADIO , Cignus XT1. Portable. Frequency: 400 - 470 MHz Channel Capacity: 16 PLL Channel Spacing: 12.5 to 25 KHz Battery Voltage: 3.7V (Li-ion) TRANSMITTER: Power Output: 5 Watts Slim, light and light. The XT1 is a DMR portable radio that is supremely easy to handle and to operate with it's dual Push-To-Talk buttons. With its well-balanced performance, it makes perfect business sense- especially for inventory control and service industry operations. It uses a battery saving amount of 2 watts and offers a scrambler for use. Features: VOX, TOT, SCAN, CTCSS/DCS, Pocket Radio, Scrambler, Breathable Lights, Dual PTT options, PC Programmable.	12	1,070.00	12,840.00
15	PCS	RECHARGEABLE MOUSE , Apple Magic Mouse 2. For Mac, some of Multi-Touch. Connections and Expansion: "Bluetooth Lightning port Wireless" Dimensions (L x W x H): Height: 0.85 inch (2.16 cm) Width: 2.25 inches (5.71 cm) Depth: 4.47 inches (11.35 cm) Warranty atleast 1 year warranty.	3	4,953.00	14,859.00
Sub-Total					746,052.00

Warranty shall be for a period minimum of Three (3) months for expendable supplies or a minimum period of one (1) year for non-expendable supplies, except as stated otherwise. Full delivery within the time specified, otherwise a penalty of one tenth (1/10) of one percent for every day of delay shall be imposed.

Signature:
CHRISTINE ROSE D. CONSUL / February 27, 2020
PLATFORM STUDIOS PH INC.
 (To be printed over printed name & date)
 Account Name: **PLATFORM STUDIOS PH INC.**
 Bank Account Number: **200037338043**
 Bank Name: **EastWest Bank**
 Bank Address: **220B Wilson, San Juan City**

COMMISSION ON AUDIT - TSU
RECEIVED
 By:
 Date: **27 FEB 2020**
 Time:

DR.
 AUTHORIZED OFFICER

COA No. _____
 Amount: _____
 Date: _____



PURCHASE ORDER

DELIVERY DUE DATE: 04-28-2020

Supplier: **PLATFORM STUDIOS PH INC.**
 Address: Unit 3011, Rosa Condominium, 44 Matimortan St., Teacher's Village, Quezon City
 TSN No: 002 128 441 000
 T.E. No: 0917 866 3215

PO No: 2019-10-199
 PO No: 2020-077
 Date: 2/27/2020
 Mode of Payment: Cash/Check

Comments: Please furnish this office the following articles in subject to the terms and conditions contained herein.

Name of Delivery: **TARLAC STATE UNIVERSITY**

Delivery To: 000000000000
 Payment Term: 30

Item No	Unit	Description	Quantity	Unit Cost	Total Cost
		<i>Balance Forwarded</i>			746,052.00
26	PCS	RJ45 - CAT 5E , Commscope 6-56927B-3, Non-modular, RJ45 plug for CAT5E round cable. Stranded conductor, 24 - 26 AWG, 50 micro inches of gold plating on contacts	20000	21.00	420,000.00
27	PCS	RJ45 - CAT 6 , Commscope 6-2843007-1, Non-modular, RJ45 plug for Cat 6 Solid and Stranded UTP cable, 3-tong contact suitable for solid conductors, 3-piece design maintain cable integrity ensuring optimal performance, 24 - 26 AWG, 50 micro inches of gold plating on contacts, High impact Polycarbonate material	60000	37.00	2,220,000.00
28	PCS	SINGLEFUNCTION LASER PRINTER , HP Laserjet Pro M102a, Print Speed Black Normal, Up to 22 ppm First Page Out Black, As fast as 7.3 sec Print Quality Black (Best) Up to 600 x 600 dpi, FastRes 1200 (1200 dpi quality) Duty Cycle (Monthly, A4) Up to 10,000 pages Print Technology Laser Processor Speed 600 MHz Connectivity, standard 1 Hi Speed USB 2.0 Wireless Paper handling input, standard 150-sheet input tray, 10-sheet priority tray Paper handling output, standard 100-sheet output tray Dimensions (+/- 10%) Maximum: 364.7 x 466.6 x 332.4 mm Warranty 1 year warranty	14	5,739.00	80,346.00
29	PCS	SPEAKER , Creative SBS A350, System Configuration 2.1 System Connector Type Stereo Jack Volume level control yes Bass level control yes Power output "Satellite" 4 Watts RMS per channel (2 channels) Subwoofer: 8 Watts RMS per channel Frequency response 40Hz - 20kHz Signal to noise ratio 75dB Subwoofer port design External Flared Warranty atleast 1 year	1	2,943.00	2,943.00
30	SYRINGE	THERMAL COMPOUND PASTE , Carbon Based High Performance, Heat sink Paste, Thermal Compound CPU for All Coolers, Thermal Interface Material, silicone paste	2	56.70	113.40
31	PCS	ULTRASONIC CLEANER , RS Pro Ultrasonic cleaner, 35 W, 70 W, 1.2L WITH LID (42,000 HZ, ULTRASONIC FREQUENCY) Heater Power Rating: 35 W, 70 W Lid Supplies: Yes, Capacity: 1.2L, Timer: Yes, Power Source: Mains	1	9,942.00	9,942.00
32	ROLL	UTP CABLE , CAT 5E, Panduit NUC5C04BU-C, blue, Conductor No. of Pairs 4 AWG 24 Stranding Solid Conductor Material BC Bare Copper Insulation Material PO Polyolefin Outer Shield Material Unshielded Outer Jacket Material PVC Polysynyl Chloride Diameter 0.190 in Description "CAT5e (200MHz), 4 Pair, U/UTP, Unshielded, Riser, CMR, Premise Horizontal Cable, 24 AWG Solid Bare Copper Conductors, Polyolefin Insulation, Ripcord, PVC Jacket"	5	43,340.00	216,700.00
33	ROLL	UTP CABLE , CAT 6, Panduit NUC6C04BU-C, blue, Conductor No. of Pairs 4 AWG 24 Stranding Solid Conductor Material BC Bare Copper Insulation Material PO Polyolefin Outer Shield Material Unshielded Outer Jacket Material PVC Polysynyl Chloride Diameter 5.8 mm Description 24 AWG solid bare copper conductors, non-plenum, Polyolefin insulation, twisted pairs, central spline, rip cord	17	6,417.00	109,089.00
34	ROLL	CABLE , VGA Cable, 5 mtrs, Key benefits: Type D3 Connection: Vga, 15 Pins Vga Male, Length: 5 Meters, Shielded Pvc In Both Ends, Locking Thumbscrews, Nickel Plated Warranty: at least 1 year warranty	2	357.00	714.00
35	PCS	CABLE , VGA, Male to male 10mtrs, Cable Type: SVGA Connector A Gender Male Connector A Type SVGA Connector B Gender Male Connector B Type SVGA Length 10m, Outer Sheath Material PVC Sheath Colour: Black, Shielded	15	69.00	1,035.00
36	PCS	CABLE , VGA, Male to male 15mtrs, Cable Type: SVGA HD15 Connector A Gender Male Connector A Type SVGA HD15 Connector B Gender Male Connector B Type SVGA HD15 Length 50m Outer Sheath Material PVC Sheath Colour: Black Shielding Shielded	1	862.00	862.00
37	PCS	VGA SPLITTER , Input 1 port 15 Pin Vga Female Output 4 port 15 Pin Vga Female Resolution: 1080p Transmission Distance up to 262 ft. (80m) Cascadable (cascading up to 3 levels) Features Plug and Play, no drivers required Dimensions (+/- 10%) 7.9 x 3.0 x 1.8 inches Warranty atleast 1 year warranty	1	1,340.00	1,340.00
38	PCS	WHITESCREEN , FOR PROJECTOR, Ultra bright screen surface, without bellows, Wrinkle free, Thicker surface for lifetime usage, Surface doesn't change color in time, Worry-free mechanism, Strong supports stand for windproof performance, Dimensions (+/- 10%) H x W: 70" x 70", Fabric Matte White	5	2,200.00	11,000.00
					1,338,000.00

(Type Amount in Words) One Million Three Hundred Thirty Eight Thousand Pesos Only.
 Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a maximum period of one (1) year for non-expendable supplies. In case of failure to meet the delivery within the time specified above, a penalty of one tenth (1/10) of the purchase price every day of delay shall be imposed.

Christine Rose D. Consul / February 27, 2020
 PLATFORM STUDIOS PH INC.

COMMISSION ON AUDIT (COA)
RECEIVED
 By: *[Signature]* Date: 27 FEB 2020 Time: _____

ER GILBERT M. RIVERA
 Authorized Official

Bank Account Name: **PLATFORM STUDIOS PH INC.**
 Bank Account Number: **200037338043**
 Bank Name: **EastWest Bank**
 Bank Address: **220B Wilson, San Juan City**

Platform Available
 ELLIENOR T. TORILLO
 Budget Office

Account No. _____
 Amount _____