# REQUEST FOR QUOTATION (RFQ) No. 144-2025



**Procurement Unit** 

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULA	RS APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2025-03-120 (PROCUREMENT)	AIR CONDITIONING UNIT	710,200.00
Purpose: APP 1st Quarter 2025.		
Philgeps Posting: Active Date: Closing Date	2/15/2025 3/21/2025	Category: MR CHOITIONITY MO MACON Reference No.: [188 2039]
Interested suppliers are required Valid and Current Mayor Proof of PhilGeps Reg	or's / Business Permit 🔃 🔼	ts: Latest Income / Business Tax Returr Omnibus Sworn Statement Brochure, if applicable
3. Delivery Site: Supply (045) 6	calendar days from calendar days from subm y and Property Management Uni 606-8159 / (045) 982-2605	t, Tarlac State University
	or a period minimum of three (3) the acceptance by the procuring of	months of expendable supplies, or a entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 3/21/22/23 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com (045)-606-8110.

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

ELENA MAY T. TEOFILO Head, Progurement Unit

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 3

Page 2 of 3

# **PRICE QUOTATION**

Date:	3/13/2025
RFQ No.	144-2025
PR No.	2025-03-120 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	unit	AIR CONDITIONING UNIT, 2.0 HP Window Type Weight:52 kg, Dimension: L 71.8 x W 66 x H 43 (cm), FEATURES:2.0 HP Inverter, Window Type Air Conditioner:R41A Refrigerant, 6 Energy Savings Features, 1 Exclusive Air Filter System, 7 Convenience Features, 7 Protection Features, 24-Hr Real-Time ON and OFF Timer, Econo Feature :Sleep Mode, LCD Remote Control, Turbo Function, Auto Swing, Slide- Out Chassis, Dehumidifying Feature, TECHNICAL SPECIFICATIONS: Cooling Capacity 7,500-18,750 kJ/hr, EER 10.6kJ/W-hr, Power Consumption: 710-1,785 Watts, EER 14.3 kJ/W-h, Sound Level @ Low 52 dB, Voltage, Frequency, Phase 230, 60, 1, Recommended Cooling Area 27 – 36 sqm, Operation Modes: Cool, Dry, Fan, Warranty: 1 Year Warranty on Parts and Service   5 years Warranty on Compressor; Free cleaning once for the 1st year, with Local Service Center.	3		
2	unit	AIR CONDITIONER, Split type, 2.5 HP, Inverter; Wall Mounted Cooling/Btu/h: 36,000 Pipe Size: 1,500/882 Refrigerant: 208-230/60/1 Unit Dimension: 1,402x670x271 Weight (Net/Shipping):66/72 Voltz /Hz/Phase: 3/8 and ¾, Warranty: 1 Year Warranty on Parts and Service   5 years Warranty on Compressor; Free cleaning once for the 1st year, with Local Service Center, Including Labor and Materials with installation (21 copper tubing ft. excess from 10 free)	1		
3	unit	AIR CONDITIONER, Split type, 2.5 HP, Inverter; Wall Mounted Cooling/Btu/h: 36,000 Pipe Size: 1,500/882 Refrigerant: 208-230/60/1 Unit Dimension: 1,402x670x271 Weight (Net/Shipping): 66/72 Voltz/Hz/Phase: 3/8 and ¾, Warranty: 1 Year Warranty on Parts and Service   5 years	1		

Warranty

The above-quoted price is inclusive of all costs and applicable taxes Very truly yours,

AUTHORIZED REPRESENTA	ATIVE:	
Signature :		
Printed Name		
Date :		
Company Name Registered	: <u> </u>	
E-mail Address	:	
Contact no.		
BANK DETAILS:		
Bank Name		
Bank Address		
Bank Account Name	:	
Bank Account Number		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020

Page 3 of 3

## **PRICE QUOTATION**

Date: 3/13/2025 RFQ No. 143-2025

PR No. 2025-03-120 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	- W.	Warranty on Compressor; Free cleaning once for the 1st year, with Local Service Center, Including Labor and Materials with installation (56 copper tubing ft. excess from 10 free)			
4	unit	AIR CONDITIONER, Window Type, 2.5 HP, Weight: 67kg, Dimension: L 80 x W 60 X H 42.8, FEATURES: R32 Refrigerant, Zero Ozone Depletion Potential, Low Global Warming Potential, Higher Eerngy Savimngs, High Energy Efficiency Ratio, ALL-DC Motor, More Energy Efficient, Room Temperature Display and Setting, Air swing control, right and left auto, up and down manual, filter clean indicator, powerful mode, timer (12-hour on/off) fan speed, auto cool dry mode, sleep mode, quiet mode, blue fin condenser (anticorrosion fin), anti-bacterial filter, wireless remote control, two independent DC fan motors and compressors, 12.30 EER, 23,500 (kJ/h) cooling capacity, Warranty: 1 Year Warranty on Parts and Service   5 years Warranty on Compressor; Free cleaning once for the 1st year, with Local Service Center.	4		
5	unit	AIR CONDITIONING UNIT, COOLING CAPACITY Power Supply: 230 V / 1 Ph / 60 Hz Refrigerant: R410a MODEL CODES Indoor: Outdoor: Set: 53CFM-ASC PERFORMANCE DATA Cooling Capacity: 37,980 kJ/Hr Power Input: 4,180 Watts Energy Efficiency Ratio (EER): 9.1 kJ/W-Hr Sound Level @ Low: 54 dBA: 37,980 kJ/Hr PHYSICAL DATA Indoor Unit Net Dimension (W x H x D): 508 x 1,806 x 288 mm Packaging Dimension (W x H x D): 590 x 1,910 x 380 mm Unit Weight (Net/Gross): 42.5 / 46 kg Outdoor Unit Net Dimension (W x H x D): 936 x 722 x 336 mm Packaging Dimension (W x H x D): 1,074 x 765 x 415 mm Unit Weight (Net/Gross): 62 / 64.5 kg Compressor Type: Rotary Refrigerant Piping Connection: Flare PIPING Pipe Sizes (Liquid / Gas): ø 9.52 / ø 15.88 mm ø. Condensate Drain: OD ø 28.5 mm ø Max. Pipe Length: 30 m has context menu.	1		

			ondensate Drain: OD ø 28.5 th: 30 m has context menu.	· ·	
Warranty		:			1
The above-	quoted pr	ice is inclu	sive of all costs ar	nd applicable taxe	es
Very truly y	•	RESENTA	TIVE:		
Signature		:			
Printed Na	me				
Date		:			
Company N	Name Reg	istered			•
E-mail Add	dress	:			i
Contact no		:			
BANK DET	AILS:				
Bank Name	Э	:			•
Bank Addre	ess	;			
Bank Acco	unt Name	•		· · · · · · · · · · · · · · · · · · ·	
Bank Acco	unt Numb	er :		<u></u>	
Form No.: TSU	-PRO-SF-06		Revision No.: 06	Effectivity Date:	March 5, 2020

## **Bid Notice Abstract**

## Request for Quotation (RFQ)

11882039 Reference Number

**Procuring Entity** TARLAC STATE UNIVERSITY AIR CONDITIONING UNIT

**Area of Delivery** Tarlac

Solicitation Number:	144-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	<u></u>
Category:	Airconditioning and Airconditioning Systems		Ŭ
Approved Budget for the Contract:	PHP 710,200.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	15/03/2025
Contact Person:	Tutchie Panlilio		
	Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City	Last Updated / Time	14/03/2025 08:47 AM
	Tarlac Philippines 2300 63-045-6068110 Ext.157	Closing Date / Time	21/03/2025 13:00 PM
	tsucanvassing@gmail.com		

#### Description

For office use.

For complete specs, see the attached RFQ. **Line Items** 

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	AIR CONDITIONING UNI	2.0 HP Window Type Weight:52 kg, Dimension: L 71.8 x W 66 x H 43 (cm), FEATURES:2.0 HP Inverter , Window Type Air Conditioner:R41A Refrigerant, 6 Energy Savings Features, 1 Exclusive Air Filter System, 7 Convenience Features, 7 Protection Features,	3	Unit	204,000.00
2	AIR CONDITIONER	Split type, 2.5 HP, Inverter; Wall Mounted Cooling/Btu/h: 36,000 Pipe Size: 1,500/882 Refrigerant: 208-230/ 60/1 Unit Dimension: 1,402x670x271 Weight (Net/Shipping):66/72 Voltz /Hz/Phase: 3/8 and ¾, Warranty: 1 Year Warranty on Parts and Service	1	Unit	77,600.00
3	AIR CONDITIONER	Split type, 2.5 HP, Inverter; Wall Mounted Cooling/Btu/h: 36,000 Pipe Size: 1,500/882 Refrigerant: 208-230/60/1 Unit Dimension: 1,402x670x271 Weight (Net/Shipping):	1	Unit	98,600.00

		66/72 Voltz/Hz/Phase: 3/8 and ¾, Warranty: 1 Year Warranty on Parts and Service ! 5			
4	AIR CONDITIONER	Window Type, 2.5 HP, Weight: 67kg, Dimension: L 80 x W 60 X H 42.8, FEATURES: R32 Refrigerant, Zero Ozone Depletion Potential, Low Global Warming Potential, Higher Eerngy Savimngs, High Energy Efficiency Ratio, ALL-DC Motor, More Energy Efficient,	4	Unit	240,000.00
5	AIR CONDITIONING UNIT	COOLING CAPACITY Power Supply: 230 V / 1 Ph / 60 Hz Refrigerant: R410a MODEL CODES Indoor: Outdoor: Set: 53CFM-ASC PERFORMANCE DATA Cooling Capacity: 37,980 kJ/Hr Power Input: 4,180 Watts Energy Efficiency Ratio (EER): 9.1 kJ/W-Hr Sound Level @ Low:	1	Unit	90,000.00

#### Other Information

The bidders must download the attached documents in the associated component section.

Note: Award shall be on a "per line item" basis.

Created by Tutchie Panlilio

Date Created 14/03/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2025 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap