



REQUEST FOR QUOTATION (RFQ) No. 258-2024

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2024-03-140 (PROCUREMENT)	PHOTOGRAPHIC EQUIPMENT	520,000.00
Purpose: PHOTOGRAPHIC EQUIPMENT- APP 1st Quarter 2024		

Philgeps Posting: Active Date: 4/4/24 Closing Date: 4/16/24 Category: PHOTOGRAPHIC EQUIPMENT Reference No.: 10718520

Interested suppliers are required to submit the following documents:

- Valid and Current Mayor's / Business Permit
- Latest Income / Business Tax Return
- Proof of PhilGeps Registration
- Omnibus Sworn Statement
- Brochure, if applicable

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University (045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 4/10/24 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ELENA MAY T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 258-2024
 PR No. 2024-03-140 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	unit	CAMERA LENS , ,70-200MM F2.8 GM OSS LENS E-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One XA Element & Two Aspherical Elements Four ED Elements & Two Super ED Elements Nano AR Coating Dual Linear & Super Sonic Wave AF Motors Optical SteadyShot Image Stabilization Focus Hold Buttons; Focus Range Limiter Dust and Moisture-Resistant Construction Eleven-Blade Circular Diaphragm Lens Filter Size 77 mm (Front) Focal Length 70 to 200mm Focus Autofocus Aperture Maximum Aperture f/2.8 Minimum Aperture f/22 Angle of View 34° to 12° 30' Dimension (diameter x length) 3.46 x 7.87" / 88 x 200 mm Mount Sony E General Compatibility Full-Frame Weight 3.3 lb / 1480 g	1		
2	unit	CAMERA , ,Body + XLR Handle Uni Sensor Max resolution 6192 x 4128 Image ratio w:h 3:2, 16:9 Effective pixels 26 megapixels Sensor size APS-C (23.4 x 15.6 mm) Sensor type BSI-CMOS Image ISO 100-32000 Boosted ISO (minimum) 50 Boosted ISO (maximum) 102400 White balance presets 8 Custom white balance Yes (3 settings) Image stabilization Sensor-shift Image stabilization notes 5- axis CIPA image stabilization rating 5.5 stop(s) Uncompressed format RAW Optics & Focus Autofocus Phase Detect Multi-area Center Selective single-point, Tracking, Single, Continuous, Touch, Face Detection, Live View Manual focus Yes Number of focus points 759 Lens mount Sony E Focal length multiplier 1.5x Screen / viewfinder Screen size 3" Touch screen Yes Screen type	2		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 258-2024
 PR No. 2024-03-140 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Articulating Live view Yes Viewfinder type None Photography features Minimum shutter speed 30 sec Maximum shutter speed 1/8000 sec Maximum shutter speed (electronic) 1/8000 sec Aperture priority Yes Shutter priority Yes Manual exposure mode Yes Built-in flash No Self-timer Yes Metering modes Multi Center-weighted Highlight-weighted Average Spot Partial Exposure compensation (at 1/3 EV steps) Videography features Linear PCM Microphone Stereo Speaker Mono Storage Storage types Dual SD/CFexpress Type A slots Connectivity USB USB 3.2 Gen 1 (5 GBit/sec) USB charging Yes HDMI Yes (Type A (YCbCr 4:2:2 10-bit / RGB 8-bit)) Microphone port Yes Headphone port Yes Wireless Built-In Wireless notes IEEE 802.11a/b/g/n/ac Remote control Yes Physical Battery Battery Pack Battery description NP-FZ100 Battery Life (CIPA) 570 Weight (inc. batteries) 646 g (1.42 lb / 22.79 oz) Dimensions 78 x 130 x 85 mm (3.07 x 5.12 x 3.35") Other features Orientation sensor Yes Timelapse recording No			
3	unit	DRONE , , Flight Ceiling 3.1 Miles / 5000 m Max Ascent Speed 13.4 mph / 6 m/s Max Horizontal Speed 42.5 mph / 19 m/s (S Mode) 33.6 mph / 15 m/s (N Mode) 11.2 mph / 5 m/s (T Mode) Max Hover Time 30 Minutes Max Descent Speed 13.4 mph / 6 m/s Max Tilt Angle 35° Max Angular Speed 250°/s (S Mode) 90°/s (N Mode) Max Flight Time 31 Minutes Hover Accuracy Range ±0.3' / 0.1 m Vertical with Vision Positioning ±1.6' / 0.5 m Vertical with GPS ±0.3' / 0.1 m Horizontal with Vision	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 258-2024
 PR No. 2024-03-140 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Positioning $\pm 4.9'$ / 1.5 m Horizontal with GPS Memory Storage Capacity Internal: 8 GB Remote/Trigger Max Operating Distance 7.5 Miles / 12 km Lens Focal Length 22mm (35mm Equivalent) Focus Min Distance 2' / 0.6 m Aperture Max f/2.8 Gimbal Number of Axes 3 (Pitch, Roll, Yaw) Controllable Range Pitch: -90 to 24° Yaw: -80 to 80° General Compatibility Mobile: Devices up to 7.1" / 180 mm Wide Dimension 7.1 x 3.0 x 3.8" / 180.0 x 77.0 x 97.0 mm (Folded) 7.2 x 3.0 x 10.0" / 183.0 x 77.0 x 253.0 mm (Unfolded) Field of View Forward: 71° (Horizontal) 56° (Vertical) Backward: 44° (Vertical) 57° (Horizontal) Sensor 1" CMOS Sensor Effective: 20 Megapixel Card Slot Single Slot: SD/SDHC/SDXC [256 GB Maximum] Warranty 6 Months DJI Aircraft Warrant In The Box DJI Air 2S Drone Remote Controller Flight Battery Charge Battery 3500 mAh / 40.42 Wh Lithium-Ion Polymer (LiPo)"			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10718520
Procuring Entity TARLAC STATE UNIVERSITY
Title Photographic Equipment
Area of Delivery Tarlac

Solicitation Number: 258-2024	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	3
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Photographic Equipment	Date Published	04/04/2024
Approved Budget for the Contract: PHP 520,000.00	Last Updated / Time	03/04/2024 08:37 AM
Delivery Period: 30 Day/s	Closing Date / Time	10/04/2024 13:00 PM
Client Agency:		
Contact Person: Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac Philippines 2300 63-045-6068142 tsucanvassing@gmail.com		

Description

for Public Affair Office use

Line Items

Item No.	Description	Quantity	Unit	Amount
1	CAMERA LENS 70-200MM F2.8 GM OSS LENS E-Mount Lens/Full-Frame Format Aperture Range: f/2.8 to f/22 One XA Element & Two Aspherical Elements Four ED Elements & Two Super ED Elements Nano AR Coating Dual Linear & Super Sonic Wave AF Motors Optical SteadyShot Image	1	Unit	150,000.00
2	CAMERA Body + XLR Handle Uni Sensor Max resolution 6192 x 4128 Image ratio w:h 3:2, 16:9 Effective pixels 26 megapixels Sensor size APS-C (23.4 x 15.6 mm) Sensor type BSI-CMOS Image ISO 100-32000 Boosted ISO (minimum) 50 Boosted ISO (2	Unit	290,000.00
3	DRONE Flight Ceiling 3.1 Miles / 5000 m Max Ascent Speed 13.4 mph / 6 m/s Max Horizontal Speed 42.5 mph / 19 m/s (S Mode) 33.6 mph / 15 m/s (N Mode) 11.2 mph / 5 m/s (T Mode) Max Hover Time 30 Minutes Max Descent Speed 13.4 mph / 6 m/s Max Tilt	1	Unit	80,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by Tutchie Panlilio
Date Created 03/04/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)