



REQUEST FOR QUOTATION (RFQ) No. 545-2023

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2023-08-318 (PROCUREMENT)	AUDIO VISUAL EQUIPMENT	273,000.00
Purpose: Audio and Visual Equipment APP 1st Quarter 2023		

Philgeps Posting: Active Date: 8/19/23 Closing Date: 8/23/23 Category: AUDIO & VISUAL EQUIPMENT Reference No.: 10052689

Interested suppliers are required to submit the following documents:

- | | |
|---|--|
| <input checked="" type="checkbox"/> Valid and Current Mayor's / Business Permit | <input type="checkbox"/> Latest Income / Business Tax Return |
| <input checked="" type="checkbox"/> Proof of PhilGeps Registration | <input checked="" type="checkbox"/> Omnibus Sworn Statement |
| | <input type="checkbox"/> Brochure, if applicable |

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University
(045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of/duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 8/23/23 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ELENA MAY T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 8/16/2023
 RFQ No. 545-2023
 PR No. 2023-08-318 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	set	Video Conferencing Equipment (Accessories) Logitech Rally Plus Mounting Kit (will be used in existing device) DIMENSIONS Speaker Bracket, Height: 36 mm, Width: 266 mm, Depth: 8 mm Camera Bracket, Height: 63 mm, Width: 109 mm, Depth: 166 mm Table Hub Bracket, Height: 12 mm, Width: 164 mm, Depth: 115 mm Display Hub Bracket, Height: 12 mm, Width: 164 mm Depth: 115 mm Cable Retainer, Height: 23 mm, Width: 164 mm Depth: 38 mm COMPATIBILITY Logitech Rally or Logitech Rally Plus Warranty: 1 year warranty	1		
3	unit	TELEPROMPTER WITH SINGLE LCD, APEX 20INCH PROFESSIONAL TELEPROMPTER WITH SINGLE LCD Teleprompter bracket 20 inch LCD Display Tripod wheels (optional)VGA or HDMI cable Camera bracket Imported Glass Mirror (46*48cm) Power plug wire HDMI Cable Teleprompter Cap / HoodSoftware Wireless Remote Teleprompter General description: • support win xp /win7/win10 system . • The software is available in 256 colors. The male and female broadcasters can choose different background colors and to facilitate the male and female broadcasters to choose their own broadcast words. The font and size can be set arbitrarily. A variety of roles can be selected to distinguish the male or female characters.	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/16/2023
 RFQ No. 545-2023
 PR No. 2023-08-318 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<ul style="list-style-type: none"> • easy to edit documens, easy to operate, automatically complete typesetting, support txt, rtf, word, ppt and other format files. • The monitor and high-resolution color display are used respectively, with high definition and clear writing. It is suitable for recording of various TV studios, school studios, stages, etc., and live programs are required. • The exclusive development of mirroring function LCD screen, support VGA, HDMI, AV video signal input, so that the text pictures seen by the guide and the broadcaster are positive image display, support the computer to open any file format. • Paragraph format, indentation, and line spacing can all be set. Dates are inserted at any time. • The software supports English, Chinese, Arabic ,French ... etc languages. • The system automatically records the speech, automatically finds and opens the performance draft when power is applied after an abnormal power outage, ensuring the integrity of the broadcast. • Regards scrolling time, the local time can be displayed on the same screen, arbitrarily set the size of the color, it is easier to put my rhythm, the key statement can be marked by color. • The scrolling speed can be adjusted, and the scrolling speed can also be adjusted by the controller. 			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/16/2023
 RFQ No. 545-2023
 PR No. 2023-08-318 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<ul style="list-style-type: none"> • No interruption, no flashing • The control method is flexible . the keyboard, mouse, pedal, and wireless remote control can be used. • The subtitle speed can be adjusted freely, and the page turning is convenient. Professional multi-layer optical glass, the thickness is only: 2mm. The light transmittance is over 97%, and the reflection degree is up to 50%. • Color LCD panel Mirror display, high definition, size 20 inch. • The teleprompter and camera are combined into one and switch to each other to adapt to the broadcast of emergency news. • Self-checking screen, the broadcaster can view his image at any time. • Built-in auto-reversing Full HD LCD monitor . <p>The monitor support VGA ,HDMI ,AV SDI video port . The monitor support all kinds of language setting . High quality wide -screen 1440*900 resolution .</p> <ul style="list-style-type: none"> • Variable angle Adjustable angle : 0-80 depends on the announcer comfortable angle . 			
5	set	1 SET PORTABLE ACTIVE PA SPEAKER SYSTEM Acoustical specifications, Frequency Response: 40 Hz + 20000 Hz, Max SPL @ 1m: 130 dB, Horizontal coverage angle: 90°, Vertical coverage angle: 30° Transducers, Full range: 8" high performance neodymium x 4.0" with a phase plug, 1.0" VC	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/16/2023
 RFQ No. 545-2023
 PR No. 2023-08-318 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Woofer: 15", 3.0" voice coil (VC), Input/Output section, Input signal: bal/unbal, Input connectors: XLR, Jack Output connectors: XLR, Input sensitivity: -2 dBu/+4 dBu Processor section, Crossover Frequencies: 180 Hz, Protections: Thermal, RMS Limiter: Soft Limiter, Controls: Volume, EQ Power section, Total Power: 1400 W Peak, 700 W RMS High frequencies: 400 W Peak, 200 W RMS Low frequencies: 1000 W Peak, 500 W RMS, Cooling: Convection Connections: VDE, Physical specifications, Cabinet/Case Material: Baltic birch plywood Color: Black Size, Height: 2200 mm / 86.61 inches, Width: 410 mm / 16.14 inches Depth: 560 mm / 22.05 inches, Weight: 36.4 kg / 80.25 lbs, With warranty at least 1 year A. Pole mountable. The top column will be inserted on the pole mount, which can be easily screwed on the Sub top side and the pole mount can be separated in two single parts in order to place it on the transportation bag for easy transportability. B. With Cover			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



GEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10052689
Procuring Entity TARLAC STATE UNIVERSITY
Title Audio Visual Equipment
Area of Delivery Tarlac

Solicitation Number: 545-2023	Status	Pending
Trade Agreement: Implementing Rules and Regulations	Associated Components	3
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification: Goods	Document Request List	0
Category: Audio and Visual Equipment	Date Published	18/08/2023
Approved Budget for the Contract: PHP 273,000.00	Last Updated / Time	17/08/2023 09:20 AM
Delivery Period: 30 Day/s	Closing Date / Time	23/08/2023 13:00 PM
Client Agency:		
Contact Person: Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philippines Tarlac City Tarlac Philippines 2300 63-2-092058494963 elenamayteofilo73@gmail.com		

Description

for University used

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Video Conferencing Equipment	(Accessories) Logitech Rally Plus Mounting Kit (will be used in existing device) DIMENSIONS Speaker Bracket, Height: 36 mm, Width: 266 mm, Depth: 8 mm Camera Bracket, Height: 63 mm, Width: 109 mm, Depth: 166 mm Table Hub Bracket, Height: 12 mm, Width	1	Set	13,000.00
2	TELEPROMPTER WITH SINGLE LCD	APEX 20INCH PROFESSIONAL TELEPROMPTER WITH SINGLE LCD Teleprompter bracket 20 inch LCD Display Tripod wheels (optional)VGA or HDMI cable Camera bracket Imported Glass Mirror (46*48cm) Power plug wire HDMI Cable Teleprompter Cap / HoodSoftware	1	Unit	80,000.00
3	1 SET PORTABLE ACTIVE PA SPEAKER SYSTEM	Acoustical specifications, Frequency Response: 40 Hz ÷ 20000 Hz, Max SPL @ 1m: 130 dB, Horizontal coverage angle: 90°, Vertical coverage angle: 30° Transducers, Full range: 8" high performance neodymium x 4.0" with a phase plug, 1.0" VC	1	Set	180,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by Tutchie Panlilio
Date Created 17/08/2023

The PhilGEPs team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPs only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)